

The Pro Design Inspired Drapes Program offers decorative panels in 1 and 2-width panel sizes with four styles to choose from, Pinch Pleat, Grommet, Back Tab and Rod Pocket. All pricing and hardware information is for one single panel.

To help make the process of selling the program easier we have created a simple basic hardware guide based on style, size of panel and rod size you are ordering. Rowley offers many hardware choices but for this guide, we will be using the **Fixed Pole** from the Rowley **Aria Collection**. You can find all the pricing and photos for the collection in the cost guide section of mybudgetblinds.com.

Rod Information

The overall rod length will need to be determined by you based on the window you are treating. Recommendations for short rods on each side of a window:

Pinch Pleated

14" - 18" rod for 1-width panel
24" - 36" rod for a 2-width panels.

Grommet

12" - 14" rod for 1-width panel
18" - 24" rod for 2 width panel

Back Tab

18" rod for 1-width panel
36" rod for 2-width panel

Rod Pocket

20" - 25" rod for 1-width panel
40" - 50" rod for 2-width panel

Mounting Height and width:

When possible a minimum of 4" above the window and 4" over on each side of the window.

Top-Hole Placements

Based on using the Aria Fixed Poles with the Turned Brackets. The hole location is referencing the top hole of the mounting plate for the bracket.

NOTE: You will need to measure your drapery to verify that there is no variation on the finished length of the drapery before adding the top-hole allowance. The Top-Hole Placement accommodates a ½" floor clearance and no additional calculation is needed however, if you need the drapery to be trouser length or puddle you will need to subtract that amount from the top-hole allowance.

For more hardware top-hole locations please refer to the Rod Bracket Placement Chart or if you want to learn more about how to use the Chart you can refer to the Rod Bracket Placement Chart Instructions. Both can be found in the ID resources on mybudgetblinds.com

Style	Rod Size	Top Hole Placement
Pinch Pleat/Ring Ready	1 1/8	+ 2 1/2
Pinch Pleat /Ring Ready	1 3/8	+ 2 7/8"

Return Size:

3 1/2" – used for single treatment – max projection of under treatment is 1" – 1 1/2"

6 1/2" – when using double rod or going over 2" wood blinds, roller shades, woven woods or clutch operated systems.

What you will need:

- 1 - Fixed Pole – up to 12'
- 3 - Turned Brackets
- 2 – Finials or end Caps
- 6 rings (1 bag) for a 1-width panel
- 11 rings (2 bags) for a 2-width panel

Style	Rod Size	Top Hole Placement
Grommet	1 1/8" or 1 3/8"	-5/8"

1 width = 8 grommets = 4 billows / 2 width = 16 grommets = 8 billows

What you will need:

- 1 - Fixed Pole – up to 12'
- 3 - Turned Brackets
- 2 – Finials or end Caps

Style	Rod Size	Top Hole Placement
Back Tab	1 1/8"	0"
Back Tab	1 3/8"	-1/2"

1-width = 7 tabs = 6 billows / 2-widths = 13 tabs = 12 billows

What you will need:

- 1 - Fixed Pole – up to 12'
- 3 - Turned Brackets
- 2 – Finials or end Caps or 2 French returns to return fabric to the wall

Style	Rod Size	Top Hole Placement
Rod Pocket	1 1/8"	-3/8
Rod Pocket	1 3/8"	-1/2
Rod Pocket w/Rings	1 1/8"	+ 2 1/2
Rod Pocket w/ Clip Rings	1 3/8"	+2 7/8

What you will need:

- 1 - Fixed Pole – up to 12'
- 3 - Turned Brackets
- 2 – Finials or end Caps or 2 French returns to return fabric to the wall

Rod with Clip Rings:

- 1 Fixed Pole – up to 12"
- 3 – Turned Brackets
- 2 – Finials
- 1 – Bag of rings for each single width panel and 2 bags of rings per double width panel